

A Free Project Sheet NOT FOR RESALE

By Kate Mandsley



Quilt Design by Heidi Pridemore

Quilt 2

Skill Level: Advanced Beginner





facebook.

Finished Quilt Size: 73" x 85" (185.42 cm x 215.90 cm)

49 West 37th Street, New York, NY 10018 tel: 212-686-5194 fax: 212-532-3525

Toll Free: 800-294-9495

www.henryglassfabrics.net

Please check our website for pattern updates before starting this project.



Fabrics in the Collection



Select Fabrics from Modern Melody Basics







Black - 1137P-99



1063-01W 1063-88

Black - 1136-99

Silver Gray 1063-90

1063-99

GO-GO Quilt 2

Page 3

1 yard (0.92m)	Truck Front View - Light Gray (A)	
	_	1129-91
% yard (0.81m)	Modern Melody Basics - Silver Gray (B)	
		1063-90
1 yard (0.92m)	Modern Melody Basics - Crimson Red (C)	
		1063-88*
² / ₃ yard (0.61m)	Town - White (D)	1133-01
3/8 yard (0.35m)	Wheels - Light Gray (E)	1131-91
3/8 yard (0.35m)	Traffic Lights - Black (F)	1130-99
1 ½ yard (1.03m)	Modern Melody Basics - Pigment White (G)	
		1063-01W

 $^{1\,{}^{1}\!\!/}_{\!\!4}$ yards (1.15m) Trucks on Road - Black (H) $\,$ 1134-99

Materials

Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

From the Truck Front View - Light Gray (A), cut:

• (3) 10 ½" x WOF strips. Sub-cut (9) 10 ½" squares.

From the Modern Melody Basics - Silver Gray (B), cut:

- (8) 1 ½" x WOF strips. Sub-cut (30) 1 ½" x 10 ½" strips.
- (10) 1 ½" x WOF strips. Sub-cut (30) 1 ½" x 12 ½" strips.

From the Modern Melody Basics - Crimson Red (C), cut:

- (3) 3 ½" x WOF strips. Sub-cut (30) 3 ½" squares.
- (8) 2 ½" x WOF strips for the binding.

From the Town - White (D), cut:

• (2) 10 ½" x WOF strips. Sub-cut (6) 10 ½" squares.

From the Wheels - Light Gray (E), cut:

• (3) 3 ½" x WOF strips. Sub-cut (30) 3 ½" squares.

From the Traffic Lights - Black (F), cut:

• (3) 3 ½" x WOF strips. Sub-cut (30) 3 ½" squares.

From the Modern Melody Basics - Pigment White (G), cut:

- (5) 3 %" x WOF strips. Sub-cut (45) 3 %" squares. Cut the squares across (1) diagonal to make (90) 3 %" triangles.
- (4) 2" x WOF strips. Sew the strips together with diagonal seams and cut (2) 2" x 72 ½" strips.
- (4) 2" x WOF strips. Sew the strips together with diagonal seams and cut (2) 2" x 63 ½" strips.

From the Trucks on Road - Black (H), cut:

• (4) 9 %" x WOF strips. Sub-cut (15) 9 %" squares. Cut the squares across (1) diagonal to make (30) 9 %" triangles.

From the Small Tossed Trucks - Royal (I), cut:

- (2) 5 ½" x 75 ½" Length of Fabric (LOF) strips.
- From the remaining fabric, cut (2) 5 ½" x 73 ½" WOF strips, piece as needed.


From the Small Tossed Trucks - Royal (Backing), cut:

• (2) 93" x WOF strips for the backing. Sew the strips together and trim to make the 81" x 93" back.


Block Assembly

Note: The arrows in figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components. Use a '4' seam allowance with right sides together (RST) unless otherwise noted.

- 1. Sew (1) 1 ½" x 10 ½" Fabric B strip to each side of (1) 10 ½" Fabric A square. Sew (1) 1 ½" x 12 ½" Fabric B strip to the top and to the bottom of the Fabric A square to make (1) Unit 1 square (Fig. 1). Repeat to make (9) Unit 1 squares total.
- 2. Sew (1) 1 ½" x 10 ½" Fabric B strip to each side of (1) 10 ½" Fabric D square. Sew (1) 1 ½" x 12 ½" Fabric B strip to the top and to the bottom of the Fabric D square to make (1) Unit 2 square (Fig. 2). Repeat to make (6) Unit 2 squares total.



3. Place (1) 3 ½" Fabric C square on the top left corner of (1) Unit 1 square, right sides together (Fig. 3). Sew across the diagonal of the smaller square from the upper right corner to the lower left corner (Fig. 3). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle ¼" away from the sewn seam (Fig. 4).




^{2 1/4} yards (2.06m) Small Tossed Trucks - Royal (I) 1132-77


^{5 1/4} yards (4.81m) Small Tossed Trucks - Royal (Backing) 1132-77

^{*}Includes binding

GO-GO

- 4. Follow Figure 5 for the seam direction to add a 3 ½" Fabric C square to the lower right corner of the Unit 1 square to make (1) Block One square (Fig. 6).
- 5. Repeat Steps 3-4 to make (9) Block One squares total.





6. Repeat Steps 3-4 and refer to Figure 7 for component identification, placement and seam direction to make (6) Block Two squares.





Fig. 7

- 7. Follow Figure 8 and sew together (2) 3 ½" Fabric E squares, (2) 3 1/2" Fabric F squares and (6) 3 1/8" Fabric G triangles to make (1) Unit 3 piece. Repeat to make (15) Unit 3 arrows total.
- 8. Sew (1) 9 %" Fabric H triangle to the top and to the bottom of (1) Unit 3 piece to make (1) 12 1/2" Block Three square (Fig. 9). Repeat to make (15) Block Three squares total.







Fig. 9

Page 4


- 9. Sew together (3) Block One squares and (2) Block Three squares, alternating them from left to right, to make Row One (Fig. 10). Repeat to make Row Three and Row Five.
- 10. Sew together (3) Block Three squares and (2) Block Two squares, alternating them from left to right, to make Row Two (Fig. 10). Repeat to make Row Four and Row Six.
- 11. Sew the (6) pieced rows together in numerical order from the top to the bottom to make the 60 ½" x 72 ½" Center Block (Fig. 10).



Quilt Top Assembly

(Follow the Quilt Layout while assembling the quilt top.) 12. Sew (1) 2" x 72 ½" Fabric G strip to each side of the Center Block. Sew (1) 2" x 63 ½" Fabric G strip to the top and to the bottom of the Center Block.

- 13. Sew (1) 5 ½" x 75 ½" Fabric I strip to each side of the Center Block. Sew (1) 5 ½" x 73 ½" Fabric I strip to the top and to the bottom of the Center Block to make the quilt top.
- 14. Layer and quilt as desired.
- 15. Sew the (8) 2 ½" x WOF Fabric C strips together, end to end with 45-degree seams, to make the binding. Fold this long strip in half lengthwise with wrong sides together and press.
- 16. Bind as desired.



Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however no warranty can be given nor results guaranteed as we have no control over the execution of instructions. Therefore, we assume no responsibility for the use of this information or damages that may occur as a result. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. Please make sure to check www.henryglassfabrics.net for pattern updates prior to starting the project. We also recommend that you test the project prior to cutting for kits. Finally, all free projects are intended to remain free to you and are not for resale.