


STARS AND BARS

Designed by Darlene Zimmerman
www.feedsacklady.com

Featuring ^{FLOWERHOUSE}

Lavender Blessings

Debbie Beaves



Finished quilt measures: 55" x 65"




Difficulty Rating: **Intermediate**

ROBERT KAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	FLH-20364-460 MIDNIGHT PURPLE	one fat quarter		F	FLH-20365-15 IVORY	1 yard
	B	FLH-20360-460 MIDNIGHT PURPLE	1-1/8 yards		G	FLH-20365-14 NATURAL	1/3 yard
	C	FLH-20365-6 PURPLE	3/4 yard		H	FLH-20361-14 NATURAL	1/3 yard
	D	FLH-20363-23 LAVENDER	5/8 yard		I	FLH-20363-234 WISTERIA	5/8 yard
	E	FLH-20363-459 FRESH SAGE	5/8 yard		Binding*	FLH-20363-23 LAVENDER <small>*Also used for Fabric D</small>	5/8 yard

Copyright 2022, Robert Kaufman
For individual use only - Not for resale

You will also need:
3-1/2 yards for backing

Suggested Tools
Easy Angle #8823759A
Companion Angle #882670139A

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

**NOTE: If not using Easy Angle, cut 2-3/8" squares, cut once on the diagonal. If not using Companion Angle, cut 4-1/4" squares, cut twice on the diagonal.*

From Fabric A, cut:

one 3-1/2" x 21" strip. Subcut:
four 3-1/2" squares
three 2" x 21" strips. Subcut:
thirty-two Easy Angle triangles*

From Fabric B, cut:

six 5-1/2" x WOF strips
two 5-1/2" x 56-1/2" side outer borders
two 5-1/2" x 54-1/2" top/bottom outer borders
one 3-1/2" x WOF strip. Subcut:
four 3-1/2" squares

From Fabric C, cut:

two 3-1/2" x WOF strip. Subcut:
twelve 3-1/2" squares
four 2" x WOF strips. Subcut:
ninety-six Easy Angle triangles*
five 1-1/2" x WOF strips. Set aside for the inner border.

From Fabric D, cut:

two 3-1/2" x WOF strip. Subcut:
twelve 3-1/2" squares
five 2" x WOF strips. Subcut:
one hundred twenty-eight Easy Angle triangles*

From Fabric E, cut:

two 3-1/2" x WOF strip. Subcut:
one 3-1/2" square
Trim the remainder of the strip to 2" wide, then subcut:
eight Easy Angle triangles*
six 2" x WOF strips. Subcut:
one hundred twenty squares

From Fabric F, cut:

seven 2" x WOF strips. Subcut:
one hundred thirty-two 2" squares
eight 2" x WOF strips. Subcut:
one hundred thirty-two Companion Angle triangles*

From Fabric G, cut:

five 2" x WOF strips. Set aside for strip piecing.

From Fabric H, cut:

five 2" x WOF strips. Set aside for strip piecing.

From Fabric I, cut:

ten 2" x WOF strips. Set aside for strip piecing.

From binding fabric, cut:

seven 2-1/2" x WOF strips


Assembling the Star Blocks

Step 1 Sew a Fabric A triangle to the right side of the larger Fabric F triangle. Finger-press toward the Fabric A triangle. Repeat for all the Fabric A print triangles and press the center seam to one side.




Step 2 Sew a matching Fabric A print triangle to the left side of the units from Step 1. Finger-press toward the Fabric A triangle. This creates a flying geese unit. Trim off excess points. Repeat for all the units from Step 1.

Step 3 Sew two matching flying geese units to the top and bottom of matching 3-1/2" Fabric A squares. Press toward the square. Repeat for all the 3-1/2" squares from Fabrics A-E. Note the Fabric B squares are used with the extra Fabric D flying geese units.




Step 4 Sew Fabric F squares to the ends of the remaining flying geese units. Press toward the squares.

Step 5 Sew the matching Step 4 units to the sides of the Step 3 units to make a Star block. Press toward the center. Repeat to make thirty-three Star Blocks, referring to the Quilt Assembly Diagram for fabric placement.



Assembling the Rail Fence Blocks

Step 1 Sew the Fabric G-I prints together as shown, creating six strip sets. Press the seams toward the centers and press the center strip to one side. Cut the strip sets into thirty 6-1/2" square units.



Step 2 Mark diagonal lines on all the 2" Fabric E squares. Place a 2" Fabric E square on one corner of the Rail Fence blocks from Step 1, and sew on the diagonal as shown. Repeat for each of the corners of the blocks.

